



| Fußständer STB mit Bodenplatte (bis B=300) | | |
|---|-----------------------------|-----------|
| Typ | P25/ NP | P50/ HP |
| Größe | H verstellbar von... bis... | |
| STB2 | 350-430 | 375-455 |
| STB3 | 400-530 | 425-555 |
| STB4 | 450-630 | 475-655 |
| STB5 | 500-710 | 525-735 |
| STB6 | 600-910 | 625-935 |
| STB7 | 700-1110 | 725-1135 |
| STB8 | 800-1290 | 825-1315 |
| STB9 | 900-1490 | 925-1515 |
| STB10 | 1000-1660 | 1025-1685 |
| STB11 | 1100-1860 | 1125-1885 |
| STB12 | 1200-2060 | 1225-2085 |




STB Fußständer mit Bodenplatte

| Al-Profilständer SPH | | | |
|----------------------|-----------------------------|-----------|-----------|
| Typ | P25 | P50 | P100 |
| Größe | H verstellbar von... bis... | | |
| SPH40 | 325-425 | 350-450 | 400-500 |
| SPH45 | 375-475 | 400-500 | 450-550 |
| SPH50 | 425-525 | 450-550 | 500-600 |
| SPH55 | 475-575 | 500-600 | 550-650 |
| SPH60 | 525-625 | 550-650 | 600-700 |
| SPH65 | 575-675 | 600-700 | 650-750 |
| SPH70 | 625-725 | 650-750 | 700-800 |
| SPH75 | 675-775 | 700-800 | 750-850 |
| SPH80 | 725-825 | 750-850 | 800-900 |
| SPH85 | 775-875 | 800-900 | 850-950 |
| bis | ... | ... | ... |
| SPH200 | 1925-2025 | 1950-2050 | 2000-2100 |
| A1 | individuell | | |
| A2 | individuell | | |




SPH Al Profilständer

| Rahmenständer STI innenliegend (ab B=200) | | | | |
|---|-----------------------------|-----------|-----------|-----------|
| Typ | P25/ NP | P50/ HP | S | P100 |
| Größe | H verstellbar von... bis... | | | |
| STI1 | 350-425 | 375-450 | 405-480 | 425-500 |
| STI2 | 375-475 | 400-500 | 430-530 | 450-550 |
| STI3 | 425-575 | 450-600 | 480-630 | 500-650 |
| STI4 | 475-675 | 500-700 | 530-730 | 550-750 |
| STI5 | 575-875 | 600-900 | 630-930 | 650-950 |
| STI6 | 725-1175 | 750-1200 | 780-1230 | 800-1250 |
| STI7 | 875-1475 | 900-1500 | 930-1530 | 950-1550 |
| STI8 | 1025-1775 | 1050-1800 | 1080-1830 | 1100-1850 |
| STI9 | 1175-2075 | 1200-2100 | 1230-2130 | 1250-2150 |




STI Rahmenständer - innenliegend

| Rahmenständer STA außenliegend | | | | |
|--------------------------------|-----------------------------|-----------|-----------|-----------|
| Typ | P25/ NP | P50/ HP | S | P100 |
| Größe | H verstellbar von... bis... | | | |
| STA1 | 300-375 | 325-400 | 355-430 | 375-450 |
| STA2 | 325-425 | 350-450 | 380-480 | 400-500 |
| STA3 | 375-525 | 400-550 | 430-580 | 450-600 |
| STA4 | 425-625 | 450-650 | 480-680 | 500-700 |
| STA5 | 525-825 | 550-850 | 580-880 | 600-900 |
| STA6 | 675-1125 | 700-1150 | 730-1180 | 750-1200 |
| STA7 | 825-1425 | 850-1450 | 880-1480 | 900-1500 |
| STA8 | 975-1725 | 1000-1750 | 1030-1780 | 1050-1800 |
| STA9 | 1125-2025 | 1150-2050 | 1180-2080 | 1200-2100 |




STA Rahmenständer - außenliegend

| Al-Profilständer SPA außenliegend | | | |
|-----------------------------------|-----------------------------|-----------|-----------|
| Typ | P25 | P50 | P100 |
| Größe | H verstellbar von... bis... | | |
| SPA40 | 325-425 | 350-450 | 400-500 |
| SPA45 | 375-475 | 400-500 | 450-550 |
| SPA50 | 425-525 | 450-550 | 500-600 |
| SPA55 | 475-575 | 500-600 | 550-650 |
| SPA60 | 525-625 | 550-650 | 600-700 |
| SPA65 | 575-675 | 600-700 | 650-750 |
| SPA70 | 625-725 | 650-750 | 700-800 |
| SPA75 | 675-775 | 700-800 | 750-850 |
| SPA80 | 725-825 | 750-850 | 800-900 |
| SPA85 | 775-875 | 800-900 | 850-950 |
| SPA90 | 825-925 | 850-950 | 900-1000 |
| SPA95 | 875-975 | 900-1000 | 950-1050 |
| bis | ... | ... | ... |
| SPA200 | 1925-2025 | 1950-2050 | 2000-2100 |




SPA Al Profilständer - außenliegend


| Al-Profilständer SPI innenliegend | | | |
|-----------------------------------|-----------------------------|-----------|-----------|
| Typ | P25 | P50 | P100 |
| Größe | H verstellbar von... bis... | | |
| SPI40 | 325-425 | 350-450 | 400-500 |
| SPI45 | 375-475 | 400-500 | 450-550 |
| SPI50 | 425-525 | 450-550 | 600-600 |
| SPI55 | 475-575 | 500-600 | 550-650 |
| SPI60 | 525-625 | 550-650 | 600-700 |
| SPI65 | 575-675 | 600-700 | 650-750 |
| SPI70 | 625-725 | 650-750 | 700-800 |
| SPI75 | 675-775 | 700-800 | 750-850 |
| SPI80 | 725-825 | 750-850 | 800-900 |
| SPI85 | 775-875 | 800-900 | 850-950 |
| SPI90 | 825-925 | 850-950 | 900-1000 |
| SPI95 | 875-975 | 900-1000 | 950-1050 |
| bis | ... | ... | ... |
| SPI200 | 1925-2025 | 1950-2050 | 2000-2100 |



SPI Al Profilständer - innenliegend




STAR Rahmenständer – außenliegend - fahrbar



SPAR Al Profilständer – außenliegend - fahrbar

| Al-Profilständer SPHR, fahrbar | | | |
|--------------------------------|-----------------------------|-----------|-----------|
| Typ | P25 | P50 | P100 |
| Größe | H verstellbar von... bis... | | |
| SPHR50 | 425-525 | 450-550 | 500-600 |
| SPHR55 | 475-575 | 500-600 | 550-650 |
| SPHR60 | 525-625 | 550-650 | 600-700 |
| SPHR65 | 575-675 | 600-700 | 650-750 |
| SPHR70 | 625-725 | 650-750 | 700-800 |
| SPHR75 | 675-775 | 700-800 | 750-850 |
| SPHR80 | 725-825 | 750-850 | 800-900 |
| SPHR85 | 775-875 | 800-900 | 850-950 |
| SPHR90 | 825-925 | 850-950 | 900-1000 |
| SPHR95 | 875-975 | 900-1000 | 950-1050 |
| bis | ... | ... | ... |
| SPHR120 | 1125-1225 | 1150-1250 | 1200-1300 |
| A1 | individuell | | |
| A2 | individuell | | |



SPHR Al Profilständer – fahrbar